



# KERALA GAZETTE കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. LVII വാല്യം 57	THIRUVANANTHAPURAM, TUESDAY തിരുവനന്തപുരം, ചൊവ്വ	3rd July 2012 2012 ജൂലൈ 3 12th Ashadha 1934 1934 ആഷാഢം 12	No. നമ്പർ	27
------------------------	---	--	--------------	----

## PART III Stores Purchase

### Forest Department

#### TENDER NOTICE

No. PCP1-471/2012.

14th June 2012.

Sealed tenders are invited from reputed firms for the supply of advanced forestry equipment, digital GPS, android based tabs, outdoor LCD and LED display boards for use in the Kerala Forest Department (KFD). The equipment should conform to the technical standards and specifications detailed in Annexure to this notice.

Sl. No.	Tender No., Name of Item, Approximate No. and PAC	Cost of tender form + VAT @ 4% or the rate applicable at that time (₹)
(1)	(2)	(3)
1	PCP1-471/2012—Advanced forestry equipment—(6 Nos.)—₹ 22 lakhs 3,300	

(1)	(2)	(3)
2	PCP1-471/2012 A—Digital GPS-(2 Nos.)— ₹ 3.50 lakhs	700
3	PCP1-412/2012—Android based tabs- (25 Nos.) —₹ 10 lakhs	2,000
4	PCP1-9849/2012—LCD and LED display boards-(6 Nos.)—₹ 7.50 lakhs	1,500

Last date and time for receipt of tender—Till 1 p.m. on the fifteenth day of publication of this tender notice in the Kerala Government Gazette (both days inclusive).

Date and time of opening of tender—19-7-2012, 3 p.m., in the presence of tenderers or their authorized representatives who may be present at that time.

Period of Supply—Within thirty days from the date of supply order.

Mode of Payment—Within two weeks from the date of delivery.

Place to be delivered—Will be mentioned in the Supply Order.

The number of equipment mentioned above is just approximate. The KFD will be at liberty to increase or decrease the number to be procured or may decide not to procure at all. Tender forms can be purchased from the office of the undersigned or a DD drawn in favour of the Addl. Principal, Chief Conservator of Forests (FMIS), Forest Headquarters, Vazhuthacadu, Thiruvananthapuram payable at Thiruvananthapuram shall be enclosed along with the tenders in case where tender forms are downloaded from the internet and used.

The tender forms are not transferable. The tenders received late or in form other than in the prescribed tender form and without the cost of tender document and EMD are liable to be rejected. The prescribed tender form can be had from the office of the undersigned during office hours. If the day of opening tender happens to be a holiday, the tender will be opened on the next working day.

For more details please visit: [www.forest.kerala.gov.in](http://www.forest.kerala.gov.in)

കേരള വനം വകുപ്പിലെ വിവിധ ഓഫീസുകളിലെ ഉപയോഗത്തിനായി വിശ്വസ്ത സ്ഥാപനങ്ങളിൽനിന്നും അഡ്വാൻസ് ഫോറസ്റ്റി ഉപകരണങ്ങൾ, ഡിജിറ്റൽ ജി. പി. എസ്. ആൻഡ്രോയിഡ് ടാബുകൾ, ഡിജിറ്റൽ ഡിസ് പ്ലേ ബോർഡുകൾ എന്നിവ വാങ്ങുന്നതിനായി അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്.എം.ഐ.എസ്.) ദർഘാസ് ക്ഷണിച്ചുകൊള്ളുന്നു. ഈ പരസ്യത്തിനോടൊപ്പം ഉള്ളടക്കം ചെയ്ത അനൗൺസിൽ പറയുന്ന നിലവാരത്തിലുള്ളതും നിശ്ചിത യോഗ്യതകളുമുള്ള ഉപകരണമാണെന്ന് ഉറപ്പുവരുത്തേണ്ടതാണ്.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും ഇനവും ഏകദേശ എണ്ണവും അടങ്കൽ തുകയും	ദർഘാസ് ഫോറത്തിന്റെ വില (₹) + VAT @ 4% അല്ലെങ്കിൽ ആ സമയത്തെ നിരക്ക്
1	PCP1-471/2012—അഡ്വാൻസ് ഫോറസ്റ്റി ഉപകരണങ്ങൾ-6 എണ്ണം— 22 ലക്ഷം	3,300
2	PCP1-471/2012 A—ഡിജിറ്റൽ ജി. പി. എസ്.-2 എണ്ണം—3.50 ലക്ഷം	700
3	PCP1-412/2012—ആൻഡ്രോയിഡ് ടാബുകൾ-25 എണ്ണം—10 ലക്ഷം	2,000
4	PCP1-9849/2012—ഡിജിറ്റൽ ഡിസ് പ്ലേ ബോർഡുകൾ-6 എണ്ണം— 7.50 ലക്ഷം	1,500

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—ഈ ദർഘാസ് പരസ്യം സർക്കാർ ഗസറ്റിൽ പ്രസിദ്ധീകരിച്ച ദിവസം മുതൽ 15-ാം ദിവസം ഉച്ചയ്ക്ക് ഒരു മണിവരെ.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—19-7-2012, 3 മണി (ലേലക്കാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ).

വിതരണം ചെയ്യേണ്ടുന്ന സമയം—വിതരണത്തിനുള്ള ഉത്തരവ് കിട്ടി മുപ്പത് ദിവസത്തിനകം.

പണം നൽകുന്ന രീതി—വിതരണം ചെയ്ത തീയതി മുതൽ രണ്ടാഴ്ചയ്ക്കുള്ളിൽ.

വിതരണം ചെയ്യേണ്ടുന്ന സ്ഥലം—വിതരണത്തിനുള്ള ഉത്തരവിനോടൊപ്പം നൽകുന്നതായിരിക്കും.

മുകളിൽ പറഞ്ഞിരിക്കുന്ന ഉപകരണങ്ങളുടെ എണ്ണം ഏകദേശം മാത്രമാണ്. ഉപകരണങ്ങളുടെ എണ്ണം കൂട്ടാനും കുറയ്ക്കാനും അല്ലെങ്കിൽ വാങ്ങാതിരിക്കാനുമുള്ള തീരുമാനമെടുക്കുന്നതിന് വനം വകുപ്പിന് അവകാശമുണ്ട്. ദർഘാസ് ഫോറം മേൽപ്പറഞ്ഞ വിലയൊടുക്കി പ്രവൃത്തി ദിവസങ്ങളിൽ അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്.എം.ഐ.എസ്.)-ന്റെ ഓഫീസിൽനിന്നും വാങ്ങാവുന്നതാണ്. ഇന്റർനെറ്റിൽനിന്നും ദർഘാസ് ഫോറം ഡൗൺലോഡ് ചെയ്യുന്ന പക്ഷം ദർഘാസിനോടൊപ്പം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്. എം. ഐ. എസ്.), ഫോറസ്റ്റ് ഹെഡ്ക്വാർട്ടേഴ്സ്, വഴുതയ്ക്കാട്, തിരുവനന്തപുരം എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.)

താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ, നിശ്ചിത ദർഘാസ് ഫോറത്തിലല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ, ദർഘാസ് ഫോറത്തിന്റെ വിലയോ ഇ.എം.ഡി.യോ ഇല്ലാതെ ലഭിക്കുന്ന ദർഘാസുകൾ എന്നിവ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം അഡീഷണൽ പ്രിൻസിപ്പൽ ചീഫ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (എഫ്.എം.ഐ.എസ്.)-ന്റെ ഓഫീസിൽനിന്നും പ്രവൃത്തി ദിവസങ്ങളിൽ വാങ്ങാവുന്നതാണ്. ഏതെങ്കിലും കാരണവശാൽ ദർഘാസ് തുറക്കാൻ നിശ്ചയിച്ചിരിക്കുന്ന ദിവസം അവധിയായി വരികയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസ് തുറക്കുന്നതായിരിക്കും.

കൂടുതൽ വിവരങ്ങൾക്ക് : [www.forest.kerala.gov.in](http://www.forest.kerala.gov.in) എന്ന വെബ്സൈറ്റ് സന്ദർശിക്കുക.

## ANNEXURE

## 1. ADVANCED FORESTRY EQUIPMENT

		Qty. (approx.)			Qty. (approx.)
<b>A. Technical Specifications of Vertex Laser Hypsometer</b>					
Size	—Not more than 95 x 75 x 60 mm		Weight of caliper with terminal	—Less than one kg.	Two
Weight	—Not more than 265 g.		Display	—Graphic with backlight	
Readings on meter and feet	—Yes		Wireless communication	—Bluetooth, built-in IR Vertex Receiver	
Angle Range	— - 55 to +85 degree		Ports	—Serial port, USB adapter	
Data transfer	—IR and Bluetooth		Communication software	— Yes	
Laser distance for non reflective target	—At least 350 m.		Clock	—Real time clock with calendar and time	
Number of measurements	—Not less than 3000		Water and dust proof	—Yes	
Laser aim	—With 8 x magnification	Two	Laser pointers for diameter measuring at distance	—Yes	
Maximum distance to transponder for ultrasound	—More than 30 m.		Weight of laser pointer	—Less than 95 g.	
Diameter of T3 transponder	—Not more than 70 mm.		Laser pointer size	—Not more than 13 x 3 x 27 cm	
Adapter-to use with T3 transponder	—Yes		Wavelength	—532 nm	
Plot Center Staff	—Yes		Laser	—Class III laser	
Tripod and Adaptor	—Yes		Lens	—Multi coated optical glass lens	
Warranty	—Three years warranty and two years AMC after warranty on separate quote.		Timber Inventory Measuring Systems software for standing trees and logs	—Yes	
<b>B. Technical Specifications of Digital Tree Caliper With Laser</b>			Warranty & AMC	—Three years warranty and two years AMC after warranty on separate quote	
			<b>C. Technical Specifications of Laser Tree Positioning Instrument)</b>		
Jaws	—Foldable aluminium		Weight	—Not more than 260 g.	
Memory Capacity	—32 MB flash non-volatile memory, 2 MB high speed RAM		Size	—Not more than 10 x 7 x 6cm.	
Processor	—32 bit arm based processor		Height	—Min 0 to 999 m with resolution of 0.1 m	
Keys	—Four keys for navigation with backlight, shutdown, escape and IR input.		Wireless interface	—Bluetooth	
Measuring system	—Electronic non-contact system, Detachable scale: 50 cm, 65 cm, 80 cm, 95 cm and 100 cm. Jaws: Foldable aluminium jaws.		Ultrasound distance & Accuracy	— 20 m or more, resolution of 0.01 and accuracy 1% or better	
Measuring area	—From 50 cm to 100 cm		Laser distance & Accuracy	—10-900m or more, 0.25m or better	
			Ultrasonic frequency	—25 kHz	Two
			Number of transponders	— Three	
			Transponder diameter	—Not more than 7cm.	
			Transponder weight	—Not more than 90g.	
			Power consumption	—Not more than 9 mW	
			Tripod support	—Yes	
			Warranty & AMC	—Three years warranty and two years AMC after warranty on separate quote	

2. TECHNICAL SPECIFICATIONS OF DIGITAL GPS (GIS DATA COLLECTION)		Qty. (approx.)	3. TECHNICAL SPECIFICATIONS OF ANDROID BASED TABLET		Qty. (approx.)
Operating System	—Windows Mobile 6.5 or better for higher accuracy data collection	Two	Operating system (OS)	—Android OS,v3.1 (Honeycomb) or better	25
3-Axis Compass and barometric altimeter	—Yes		Display size	—10.1 inch	
RAM	—128 MB or better		Display technology	—Capacitive PLS TFT touch screen or better	
Flash data storage	—4 GB or more		Display resolution	—1280 x 800 pixels or better	
Micro SD/Micro SDHC memory card slot	—32 GB or more		Multi touch	—Yes	
Wireless Bluetooth	—Yes		Front camera	—2 megapixels or better	
Integrated digital camera with video recording and photo geo-tagging	—Yes		Rear camera	—3 megapixels, LED flash, autofocus, geo-tagging	
Display	—16-bit WQVGA or better		Video recording	—Yes	
Sunlight readable and color touch screen	—Yes		GPS	—Yes	
GPS sensitivity	—20-channel GPS receiver		Internal memory	—16GB or 32GB	
Antenna	—Multidirectional GPS patch antenna		Dimensions	—Less than 257 x 176 x 8.7mm	
Accuracy	—3 to 5 meter real-time accuracy		Weight	—570 g and lesser	
Weight	—Not more than 200 grams (excluding batteries)		Processor	—ARM Cortex A9 dual-core (1GHz) or better	
Size	—Not more than 66mm (w) x 130mm (h) x 38mm (d)		RAM	—At least 1GB	
Belt clip with stylus and USB connectivity cable	—Yes		3 G	—Yes	
Rugged and water proof	—Yes		Wi-Fi	—Yes	
Data Collection software	—Yes, for high quality GNSS data capture with features such as measurements, placing features on background maps and GNSS/GIS data editing		Bluetooth	—v3.0 with A2DP	
Post processing software	—Yes, for processing raw GPS and GLONASS data with complete co-ordinate system support (the rate has to be quoted separately)	One	USB	—Yes	
Warranty & AMC	—Three years warranty and two years AMC after warranty on separate quote		Sensors	—Accelerometer, gyro, compass, etc.	
			Battery	—Li-Po 7000mAh or better	
			Battery life	—9 hours or more	
			Java	—Yes	
			Adobe Flash support	—Yes	
			Other facilities	—TV Out, MP4/DivX/Xvid/MP3/WAV player, Organizer, Image/video editor, Quick office HD editor/viewer, Google Search, Maps, Gmail, You Tube, Calendar, Google Talk, Picasa integration, Voice memo, Predictive text input (Swipe)	
			Pouch	—Yes	
			Warranty & AMC	—Warranty for 3 years and additional quote for 2 years AMC thereafter	

## 4. OUTDOOR LED AND LCD DISPLAY BOARD

Qty.  
(approx.)**A. Technical Specifications of Single Colour Outdoor LED Display Board**Qty.  
(approx.)

Display area	—2.50 Sq. m.	One
Total viewing area	—Not more than 2.50 Sq.m.	
Panel Size	—Not more than 2.60m width and 0.97m height	
Pitch	—10 mm	
Computer connectivity	—Yes	
Colour	—Amber	
Supply, installation, training and one year support free of cost	—Yes	
Integrated with customized software	—Yes	
Cost of structure, protective covering, cabling and networking charges	—Need to be quoted separately Structure: Height: about 12m, Width: about 3m and Weight: about 250 Kg Structure roof: PU Sheet Front: Toughened glass with thickness: 10mm, length: 10 ft. and height: 4 ft.	
Cabling and networking charges	—Need to be quoted separately	
Warranty & AMC	—Three years warranty and two years AMC after warranty on separate quote	

**B Technical Specifications of Single Colour Fiveline LED Display Board**Qty.  
(approx.)

English characters perline	—20	
LED Colour	—Green with software controllable brightness	Four
Character height	—Not more than 30 mm	
Ethernet LAN port with compatibility to WiFi	—Yes	
Size	Not more than 70cm . (width), 60 cm. height and 6 cm. thickness	
Computer connectivity	—Yes	
Flash memory to store 100 screens of data	—Yes	
Software to create and transfer data	—Yes	
Control of multiple units form single point	—Yes	

Text Effects	—Scroll, Blind, Bold, Wipe left/Right, split in/out, etc.
Cabinet	—Wall mountable, Powder coated MS and Black colour
Supply, installation, training and one year support free of cost	—Yes
Warranty and AMC	—Three years warranty and two years AMC after warranty on separate quote

**C Technical Specifications Of LCD Display Screen**Qty.  
(approx.)

Screen size	—About 40" HD ready LCD screen	One
Embedded PC with media player	—Yes	
Cabinet	—Pedestal, Powder coated MS and Black colour	
Supply, installation, training and one year support free of cost	—Yes	
Warranty & AMC	—Three years warranty and two years AMC after warranty on separate quote	

(Sd.)

Office of the Additional Principal,  
Chief Conservator of Forests (FMIS), Vazhuthacaud, Thiruvananthapuram.

*Additional Principal  
Chief Conservator of Forests (FMIS)*  
(For and on behalf of the Governor of Kerala).

## RE-TENDER NOTICE

No. P4-1992/2011.

18th June 2012.

Sealed tenders are invited from the authorized manufactures and suppliers for the supply of metallic tree guards.

The envelopes containing the tenders should be superscribed as “Tender for supplying metallic tree guards”.

**Specification of metallic tree guards :**

Total Height of Tree Guards	— 1.60 M
Diameter (inner) of Tree Guards	— 0.40 M
Height of Welded Mesh	— 1.20 M



Tree guard to be made out of MS welded Mesh—10 gauge or 2.5 mm thick with 2 Square inch opening.

One number each ring made of  $\frac{3}{4}$  inch x 4 mm Flat, to be welded on top middle and bottom side of steel mesh.

Steel mesh to be joined by tack welding.

3 Nos. leg of 8 mm dia. rod of 400 mm long to be welded on the bottom ring at equal distance.

Two name boards of 30cmx20cm in 28 gauge MS sheet, one to be welded on to the tree guard and the other to be fixed on screws or like, to be removed.

One coat primer and one coat green enamel paint to be neatly painted to the tree guards.

Out of the 2 name board, the fixed one to be primed and painted one coat of enamel paint red and green and written 'കേരള വനം വകുപ്പ് & KERALA FOREST DEPARTMENT'. On the second board after priming and painting one coat enamel paint, the following is to be written neatly "ബഹു MLA ശ്രീ.....(പേര്) യുടെ വികസന ഫണ്ട് ഉപയോഗിച്ച് നിർമ്മിച്ചത്".

Quantity of tree guards—2400 Nos.

Estimated Amount—₹ 13,20,000

E. M. D.—₹ 33,000.

Value of tender form—

Original—₹ 2,000 +VAT

Duplicate—₹ 1,000 +VAT

The quantities of metallic tree guard shall change as per actual requirements.

Tender forms shall be issued up to 1 p.m. on 17-7-2012 at the Office of the Assistant Conservator of Forests, Social Forestry, Olavakkode, Palakkad. Tender forms duly filled up and sealed shall be accepted on the same day up to 3 p.m. and tenders will be opened in the presence of tenders present at that time at 3.30 p.m. If the date of tender happens to be a public holiday, the same will be held on the next working day at the same time and venue. In the absence of sufficient competition, the tender will again be conducted on 23-7-2012.

#### CONDITIONS

1. The tree guards should be installed along the different roads of Palakkad District in Ottappalam, Chittur and Kollengode Assembly Constituencies for the protection of seedlings planted by the Kerala Forest Department on the road side as per direction of the forest officials before 20-9-2012 and receipt should be obtained from the Range Officer concerned.

2. If the supply and installation is not completed within the dates specified above, the tender will be cancelled and action taken to purchase the items at the risk and loss of the original bidder.
3. EMD should be remitted as demand draft drawn on State Bank of India, Civil Station Branch pledged in the name of Assistant Conservator of Forests, Social Forestry Division, Palakkad and accompanied along with filled up tender forms.
4. SSI units are exempted from remitting EMD., Such units should produce necessary Eligibility Certificates obtained from the Manager, District Industries Centre concerned.
5. The quantities mentioned above are only approximate and may vary.
6. The successful tenderer should remit 2.5% amount of the PAC in addition to the EMD as security deposit for the contract and enter in to an agreement with the Forest Department within 7 days from the date of intimation regarding the acceptance of the tender.
7. Final payment of the metallic tree guards will be done only after ensuring quality as described above.
8. On satisfactory completion of supply and all the above conditions, the security deposit will be released to the tenderer on production of necessary tax clearance certificate.
9. The tenderer is liable to follow Kerala Store Purchase Rules.
10. All the conditions stipulated as per Kerala Forest Code and Kerala Store Purchase manual is applicable for this tender also. Enquiries in this regard shall be made in Social Forestry Division Office, Palakkad. Phone Number: 0491-2555521.

പാലക്കാട് സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷനിലേക്ക് ചുവടെ ചേർത്തിട്ടുള്ള പ്രകാരം വിശദമാക്കിയിട്ടുള്ള അളവിൽ മെറ്റാലിക് ട്രീ ഗാർഡുകൾ സപ്ലൈ ചെയ്യുന്നതിന് ദർഘാസുകൾ അംഗീകൃത ഉൽപ്പാദകരിൽ നിന്നും/വിതരണക്കാരിൽ നിന്നും മുദ്രവച്ച കവറിൽ ക്ഷണിച്ചുകൊള്ളുന്നു. പ്രസ്തുത കവറിന്റെ പുറത്ത് “മെറ്റാലിക് ട്രീ ഗാർഡുകൾ സപ്ലൈ ചെയ്യുന്നതിനുള്ള ദർഘാസ്” എന്ന് എഴുതി അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്റർ, സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷൻ, പാലക്കാട് എന്ന മേൽവിലാസത്തിൽ നിശ്ചിത സമയത്തിനകം സമർപ്പിക്കേണ്ടതാണ്.

മെറ്റാലിക് ട്രീ ഗാർഡിന്റെ വിവരണം :

ഉയരം — 1.60 മീറ്റർ

വ്യാസം (ഉൾവശം) — 0.40 മീറ്റർ

2 ഇഞ്ച് സ്ക്വയർ കള്ളിയുള്ള 10 ഗേജ് അല്ലെങ്കിൽ 2.5 എം.എം. വണ്ണമുള്ള വെൽഡഡ് മെഷ് (എം.എസ്.) ആണ് ഉപയോഗിക്കേണ്ടത്.

$\frac{3}{4}$  inch x 4mm പട്ടകൊണ്ട് വളയം നിർമ്മിച്ച് മെഷിന്റെ താഴ്ഭാഗത്തും മദ്ധ്യഭാഗത്തും മുകൾ ഭാഗത്തും വെൽഡ് ചെയ്ത് ഉറപ്പിക്കണം.

വെൽഡ് മെഷ് വൃത്തത്തിലാക്കിയശേഷം തമ്മിൽ വെൽഡ് ചെയ്ത് ഉറപ്പിക്കണം.

8mm x 40cm നീളമുള്ള എം. എസ്. കമ്പിയിൽ 3 കാല്, താഴത്തെ വളയത്തിൽ തുല്യ അകലത്തിൽ വെൽഡ് ചെയ്ത് ഉറപ്പിക്കണം.

30cm x 20cm അളവുകളുള്ള രണ്ട് നെയിം ബോർഡുകൾ 28 ഗേജ് എം.എസ്. ഷീറ്റ് ഉപയോഗിച്ചുള്ളത്. ആയതിൽ ഒരു ബോർഡ് ട്രീ ഗാർഡിൽ വെൽഡ് ചെയ്തും, അടുത്ത ബോർഡ് അഴിച്ചെടുക്കാവുന്ന രീതിയിലും ഫിറ്റ് ചെയ്തതായിരിക്കണം.

ട്രീ ഗാർഡിൽ ഒരു കോട്ട് പ്രൈമറും, ഒരു കോട്ട് പച്ചനിറത്തിലുള്ള ഇനാമൽ പെയിന്റും വൃത്തിയായി അടിച്ചിരിക്കണം.

ട്രീ ഗാർഡിൽ ഫിറ്റ് ചെയ്ത ബോർഡിൽ ഒരു കോട്ട് പ്രൈമറും, ഒരു കോട്ട് ഇനാമൽ പെയിന്റും (പച്ചയും ചുവപ്പും) വൃത്തിയായി അടിച്ചതിന് ശേഷം 'കേരള വനം വകുപ്പ്' എന്നും 'Kerala Forest Department' എന്നും വൃത്തിയായി വായിക്കുന്ന വിധത്തിൽ എഴുതിയിരിക്കണം. രണ്ടാമത്തെ ബോർഡിൽ ഒരു കോട്ട് പ്രൈമറും, ഒരു കോട്ട് ഇനാമൽ പെയിന്റും അടിച്ചതിന് ശേഷം "ബഹു. MLA ശ്രീ.....(പേര്)യുടെ വികസന ഫണ്ട് ഉപയോഗിച്ച് നിർമ്മിച്ചത്" എന്ന് വൃത്തിയായി എഴുതിയിരിക്കണം.

ആവശ്യമുള്ള എണ്ണം—2400.

അടങ്കൽ തുക—₹ 13,20,000.

നിരതദ്രവ്യം—₹ 33,000.

ടെണ്ടർ ഫോറത്തിന്റെ വില—

ഒറിജിനൽ —₹ 2,000 + വാറ്റ്.

ഡ്യൂപ്ലിക്കേറ്റ് —₹ 1,000 + വാറ്റ്.

മുകളിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള ട്രീഗാർഡുകളുടെ എണ്ണത്തിൽ ആവശ്യാനുസരണം വ്യത്യാസം ഉണ്ടാകാവുന്നതാണ്.

ദർഘാസ് ഫോറങ്ങൾ 17-7-2012-ാം തീയതി ഉച്ചയ്ക്ക് 1 മണിവരെ പാലക്കാട് സോഷ്യൽ ഫോറസ്റ്ററി ഡിവിഷൻ അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്ററുടെ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

പൂരിപ്പിച്ച ദർഘാസ് ഫോറങ്ങൾ അന്നേ ദിവസം പകൽ 3 മണിവരെ സ്വീകരിക്കുന്നതും, 3.30 മണിക്ക് സ്ഥലത്ത് ഹാജരുള്ള ദർഘാസുകാരുടെ കൂടി സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതുമാണ്.

പ്രസ്തുത ദിവസം പൊതു ഒഴിവ് ദിവസമായി പ്രഖ്യാപിക്കുന്നപക്ഷം അടുത്ത പ്രവൃത്തി ദിവസം നിശ്ചിത സമയത്തും, സ്ഥലത്തും ദർഘാസ് ഫോറങ്ങൾ യഥാക്രമം ലഭ്യമാക്കുന്നതും, സ്വീകരിക്കുന്നതും, തുറന്ന് പരിശോധിക്കുന്നതുമാണ്. ഏതെങ്കിലും കാരണവശാൽ ടെണ്ടറിന് മത്സര സ്വഭാവം ഇല്ലാതായാൽ ടെണ്ടർ വീണ്ടും 23-7-2012-ന് നടത്തപ്പെടുന്നതാണ്.

#### വ്യവസ്ഥകൾ

- മെറ്റാലിക് ട്രീ ഗാർഡുകൾ കരാർ പ്രകാരം പാലക്കാട് ജില്ലയിലെ ഒറ്റപ്പാലം, ചിറ്റൂർ, കൊല്ലങ്കോട് നിയോജക മണ്ഡലങ്ങളിലെ വിവിധ റോഡുകളിൽ എത്തിച്ച് വനം വകുപ്പ് നട്ടുപിടിപ്പിച്ച വൃക്ഷത്തൈകളുടെ സംരക്ഷണത്തിനായി ബന്ധപ്പെട്ട വനം ഉദ്യോഗസ്ഥർ കാണിച്ചു തന്ന സ്ഥലത്തും, നിർദ്ദേശിച്ച പ്രകാരവും 20-9-2012-ന് മുമ്പ് സ്ഥാപിച്ച്, ബന്ധപ്പെട്ട സോഷ്യൽ ഫോറസ്റ്ററി റെയിഞ്ചാഫീസറിൽ നിന്നും രസീത് വാങ്ങേണ്ടതാണ്.
- മേൽപ്പറഞ്ഞ ദിവസങ്ങൾക്കുള്ളിൽ നിശ്ചിത അളവിൽ സപ്ലൈ പൂർത്തിയാക്കുവാൻ സാധിക്കാത്തപക്ഷം ടി ദർഘാസ് റദ്ദാക്കിയതായി കണക്കാക്കുകയും, ടിയാന്റെ നഷ്ടോത്തരവാദിത്വത്തിൽ വീണ്ടും മെറ്റാലിക് ട്രീ ഗാർഡുകൾ വാങ്ങുന്നതിനുള്ള നടപടി സ്വീകരിക്കുന്നതുമാണ്.
- നിരതദ്രവ്യം സ്റ്റേറ്റ് ബാങ്ക് ഓഫ് ഇന്ത്യ, സിവിൽ സ്റ്റേഷൻ പാലക്കാട് ബ്രാഞ്ചിൽ മാറാവുന്ന ഡിമാന്റ് ഡ്രാഫ്റ്റായി താഴെ ഒപ്പിട്ടിരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ പേരിൽ പ്ലഡ്ജ് ചെയ്ത് ദർഘാസിനൊപ്പം ഹാജരാക്കേണ്ടതാണ്.
- എസ്. എസ്. ഐ. യൂണിറ്റുകൾ നിരതദ്രവ്യം നൽകേണ്ടതില്ല. അത്തരം സ്ഥാപനങ്ങൾ അതാത് ജില്ലാ വ്യവസായ കേന്ദ്രം മാനേജറുടെ ഇതു സംബന്ധിച്ച യോഗ്യതാ സർട്ടിഫിക്കറ്റ് ഹാജരാക്കേണ്ടതാണ്.
- പട്ടികകളിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള എണ്ണങ്ങൾ ഏകദേശം മാത്രമാണ്. ഇതിന് മാറ്റം വരാവുന്നതാണ്.
- അംഗീകരിക്കപ്പെടുന്ന ദർഘാസുകാരൻ നിരതദ്രവ്യ തുകയ്ക്ക് പുറമേ അടങ്കൽ തുകയുടെ രണ്ടര ശതമാനം (2.5%) തുക കൂടി സെക്യൂരിറ്റി വച്ച് ദർഘാസ് അംഗീകരിക്കുന്നതിനായി അറിയിക്കുന്ന തീയതി മുതൽ ഏഴ് (7) ദിവസത്തിനകം കരാറിലേർപ്പെടേണ്ടതാണ്.
- മെറ്റാലിക് ട്രീ ഗാർഡുകളുടെ ഗുണനിലവാരത്തിന്റെ അടിസ്ഥാനത്തിലും മറ്റു മേൽ നിബന്ധനകൾ പാലിച്ചാലും മാത്രമേ അവസാന തുക നൽകുകയുള്ളൂ.
- മുകളിൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പ്രകാരം, ജോലി തൃപ്തികരമായി പൂർത്തിയാക്കി കഴിഞ്ഞാൽ സെക്യൂരിറ്റി വിടുതൽ ചെയ്യുന്നതിന് ആവശ്യമായ ടാക്സ് ക്ലിയറൻസ് സർട്ടിഫിക്കറ്റുകൾ ഹാജരാക്കി സെക്യൂരിറ്റി മടക്കി വാങ്ങേണ്ടതാണ്.
- സ്റ്റോർ പർച്ചേഴ്സ് സംബന്ധിച്ച് കേരള സർക്കാർ പുറപ്പെടുവിച്ചിട്ടുള്ള വ്യവസ്ഥകൾ പാലിക്കുവാൻ ദർഘാസുകാരൻ ബാധ്യസ്ഥനാണ്.
- കേരള ഫോറസ്റ്റ് കോഡിലും, കേരള സ്റ്റോർ പർച്ചേഴ്സ് മാനുവലിനും പറയുന്ന വ്യവസ്ഥകൾ ഈ ദർഘാസിനും ബാധകമാണ്.

കൂടുതൽ വിവരങ്ങൾക്ക് പ്രവൃത്തി ദിവസങ്ങളിൽ ഒലവക്കോടുള്ള ആരണ്യ ഭവൻ കോപ്ലക്സിലെ പാലക്കാട് സോഷ്യൽ ഫോറസ്റ്ററി ഡിവിഷൻ ഓഫീസിലോ, 0491-2555521, എന്ന ഫോൺ നമ്പറിലോ അന്വേഷിക്കാവുന്നതാണ്.

(Sd.)

Assistant Conservator  
of Forests.

Social Forestry, Division,  
Palakkad.

(For and on behalf of the  
Governor of Kerala).